



# Miniature circuit-breaker, Miluz Lara, 16A, C-curve, 1 module, white

MLMM161P\_WH

### Main

Range	Miluz
Device application	Distribution
product or component type	Miniature circuit-breaker
Device presentation	Basic element with central cover plate
poles description	1P
Rated current	16 A at 240 V AC
Number of modules	1 module
Fixing mode	Snap-fitted

## Complementary

Connections - terminals	Screw terminals
Clamping connection capacity	2.5 mm <sup>2</sup>
Trip unit technology	Thermal-magnetic
breaking capacity	3 kA
Material	Polycarbonate and polyamide
Standards	IEC 60898
ambient air temperature for operation	-545 °C
Depth	59.18 mm
Width	22.2 mm
Height	56 mm
Curve code	С
Relative humidity	095 %

#### **Environment**

IP degree of protection IP20

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.918 cm
Package 1 Width	2.22 cm
Package 1 Length	5.6 cm

Package 1 Weight	67 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	6.45 cm
Package 2 Width	6.2 cm
Package 2 Length	26.3 cm
Package 2 Weight	740.2 g



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance



Mercury Free



Rohs Exemption Information

Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Image of product / Alternate images

#### **Alternative**















Image of product in real life situation

