



SpaceLogic KNX USB Interface DIN Rail

MTN6502-0101

Main

Range	SpaceLogic KNX	
Product or component type	USB interface	
Bus type	KNX	
Colour tint	Schneider white	
Colour code	RAL 9003	
Market segment	Residential Commercial	

Complementary

Connector type	USB type C	
Communication port protocol	USB KNX KNX long frame	
Transmission rate	12 Mbit/s 9600 bit/s	
total number of 18 mm modules	1	
local signalling	2 LEDs	
Material	PC	
Mounting support	DIN rail	
Function available	Supports KNX Secure	

Environment

Relative humidity	593 %	
Ambient air temperature for storage	-2570 °C	
Ambient air temperature for operation	-545 °C	
Standards	EMC directive	
	EN 50491-3	
	EN 50491-5-2	
	EN 50491-5-3	
	EN 61000-6-2	
	EN 61000-6-3	
	EN 50581 : 2012	
IP degree of protection	IP20	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Package 1 Height	6.0 cm
Package 1 Width	7.0 cm
Package 1 Length	9.5 cm
Package 1 Weight	82.0 g
Unit Type of Package 2	S03
Number of Units in Package 2	60
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	5.717 kg



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information