Product datasheet

Specifications





Power supply REG, 24 V DC / 0.4 A, light grey

MTN693003

Main

Range of product	KNX
Product or component type	Power supply
Bus type	KNX

Complementary

Condition of use	Other device KNX device
Function of module	With output voltage stabilized
Mounting support	DIN rail
Rated operational power in W	9.6 W
Output current	0.4 A
Output voltage	24 V
Connections - terminals	Screw terminals
Height	68.1 mm
Width	17.5 mm
Depth	68.1 mm

Environment

IP degree of protection

IP20

Packing Units

V	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.700 cm
Package 1 Width	8.400 cm
Package 1 Length	10.700 cm
Package 1 Weight	104.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	35
Package 2 Height	20.100 cm
Package 2 Width	30.700 cm
Package 2 Length	40.500 cm

Package 2 Weight

4.066 kg

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information