

Product datasheet

Specifications



Switch, Livia, 10A, bell push, 2 module, painted grey

P1025_PG

Main

Range	Livia
Device application	Doorbell
Product or component type	Switch
Colour tint	Grey

Complementary

Device mounting	Flush
Number of gangs	1 gang
Rated current	10 A at 240 V
Material	Thermoplastic
Surface treatment	Antibacterial
Surface finish	Matt
Width	45.2 mm
Height	54.4 mm
Fixing mode	Screwed
Depth	35.1 mm
IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4 cm
Package 1 Width	5.5 cm
Package 1 Length	14.8 cm
Package 1 Weight	29 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	6 cm
Package 2 Width	10.5 cm
Package 2 Length	21.5 cm
Package 2 Weight	340 g

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 3	CAR
Number of Units in Package 3	100
Package 3 Height	32.5 cm
Package 3 Width	22.5 cm
Package 3 Length	24 cm
Package 3 Weight	3.9 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.


[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)




Sustainable Packaging

Resource performance

 Sustainable Packaging

Well-being performance

 Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information