



Socket-outlet, Livia, 2P + E, 10/25A, with shutter, white

P2207

! Discontinued on: 15-Aug-2024

(!) To be discontinued

Main

Range	Livia
Product or component type	Socket-outlet Socket-outlet
Device application	Power supply
Colour tint	White (RAL 9003)

Complementary

device presentation	Basic element
Device mounting	Flush
Fixing mode	By screws By claws
Outlet poles configuration	2P + E with shutter
Rated current	10/25 A at 250 V AC 50/60 Hz
Socket additional information	Shuttered
Outlet standard deviation	India 3-pin
Connections - terminals	Pillar terminal
Material	PC (polycarbonate)

Environment

Standards	IS 1293
Ambient air temperature for operation	-560 °C
Ambient air temperature for storage	-560 °C
IP degree of protection	IP2X
Depth	45 mm
Width	45 mm
Height	54 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5 cm
Package 1 Width	6.7 cm

Package 1 Length	12.5 cm	
Package 1 Weight	42 g	



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Sustainable Packaging Transparency RoHS/REACh

Resource performance



Sustainable Packaging

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation

Eu Rohs Directive

Compliant

EU RoHS Declaration

China Rohs Regulation

China Rohs Regulation

China RohS declaration

Pro-active China RohS declaration (out of China RohS legal scope)

Environmental Disclosure

Product Environmental Profile

Circularity Profile

No need of specific recycling operations