Product datasheet

Specifications



Telephone socket, Livia, RJ11, with shutter, 1 gang, painted grey

P4011_PG

Main

Range	Livia
Device application	Communication
Product or component type	Telephone socket
device presentation	Mechanism with fixing frame
Telephone socket type	RJ11 (4 contacts)
telephone socket type	RJ11
Colour tint	Grey
number of modules	1

Complementary

Device mounting	Flush
0	
Socket number	1
Fixing mode	By screws
Material	PC (polycarbonate)
Surface treatment	Antibacterial
Surface finish	Matt
Width	22.7 mm
Height	54.4 mm
Depth	23.65 mm
IK degree of protection	IK02
IP degree of protection	IP20

Environment

Environmental characteristic Indoor use

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.5 cm
Package 1 Width	5.5 cm
Package 1 Length	14.2 cm
Package 1 Weight	14 g

Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	6 cm
Package 2 Width	10.5 cm
Package 2 Length	21.5 cm
Package 2 Weight	335 g
Unit Type of Package 3	CAR
Number of Units in Package 3	200
Package 3 Height	32.5 cm
Package 3 Width	22.5 cm
Package 3 Length	24 cm
Package 3 Weight	3.8 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Sustainable Packaging Transparency

Resource performance

Sustainable Packaging

3

Well-being performance

Voxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations