



Data socket, Livia, Cat 5e RJ45, with shutter, white

P4045

Main

Range	Livia
Device application	Communication
Product or component type	Data socket
device presentation	Basic element with central cover plate
Data socket type	RJ45 8 contact(s) Cat.5e 100 MHz
Cable shielding type	UTP
Connections - terminals	Screw terminals
number of modules	1
Main colour tint	White
Targeted channel	Do it yourself

Complementary

·		
wiring device mounting	Flush	
Socket number	1	
Socket additional information	Shuttered	
Fixing mode	Snap-fitted	
Surface finish	Glossy	
Material	PC	
Height	54.4 mm	
Width	22.7 mm	
Depth	36.8 mm	
Embedding depth	30.2 mm	
Net weight	16 g	
Colour tint	White (RAL 9003)	

Environment

Ambient air temperature for operation	-535 °C
IP degree of protection	IP20
Environmental characteristic	Indoor use

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1	1
Package 1 Height	1.2 cm
Package 1 Width	3.4 cm
Package 1 Length	10 cm
Package 1 Weight	17.0 g

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Sustainable Packaging Transparency RoHS/REACh

Resource performance



Sustainable Packaging

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation

Eu Rohs Directive

Compliant

EU RoHS Declaration

China Rohs Regulation

China Rohs Regulation

China RohS declaration

Pro-active China RohS declaration (out of China RohS legal scope)

Environmental Disclosure

Product Environmental Profile

Circularity Profile

No need of specific recycling operations