



Data socket, Livia, Cat 6 RJ45, with shutter, white

P4046

Main

Range	Livia
Device application	Communication
Product or component type	Data socket
device presentation	Basic element with central cover plate
Data socket type	RJ45 8 contact(s) Cat.6 250 MHz
Cable shielding type	UTP
Connections - terminals	Screw terminals
number of modules	1
Main colour tint	White
Targeted channel	Do it yourself

Complementary

wiring device mounting	Flush
Socket number	1
Socket additional information	Shuttered
Fixing mode	Snap-fitted
Surface finish	Glossy
Material	PC
Height	54.4 mm
Width	22.7 mm
Depth	36.8 mm
Embedding depth	30.2 mm
Net weight	16 g
Colour tint	White (RAL 9003)

Environment

Ambient air temperature for operation	-535 ℃
IP degree of protection	IP20
Environmental characteristic	Indooruse

Packing Units

22-Aug-2024

Unit Type of Package 1 PCE

Number of Units in Package 1	1
Package 1 Height	2.3 cm
Package 1 Width	6.7 cm
Package 1 Length	11 cm
Package 1 Weight	16 g

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Sustainable Packaging Transparency RoHS/REACh

Resource performance



Sustainable Packaging

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation

Eu Rohs Directive

Compliant

EU RoHS Declaration

China Rohs Regulation

China Rohs Regulation

China RohS declaration

Pro-active China RohS declaration (out of China RohS legal scope)

Environmental Disclosure

Product Environmental Profile

Circularity Profile

No need of specific recycling operations