

Product datasheet

Specifications



Key card switch, Livia, electronic, painted grey

P6005_PG

Main

Range	Livia
Device application	Control
Product or component type	Switch
device presentation	Mechanism with fixing frame
Colour tint	Grey

Complementary

Device mounting	Flush
Switch function	Key switch
Rated current	20 A
[Ue] rated operational voltage	110/240 V AC
Fixing mode	By 2 screws
Material	PC (polycarbonate) matt
Embedding depth	24 mm
Surface treatment	Antibacterial

Environment

IP degree of protection	IP2X
Standards	IS 3854

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.5 cm
Package 1 Width	12 cm
Package 1 Length	13 cm
Package 1 Weight	192 g
Unit Type of Package 2	CAR
Number of Units in Package 2	20
Package 2 Height	16 cm
Package 2 Width	27 cm
Package 2 Length	65 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight	4.54 kg
------------------	---------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Sustainable Packaging

Resource performance

 Sustainable Packaging

Well-being performance

 Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information