

Product data sheet

Specifications



Mini switch, QO, 60A, 2 pole,
240VAC, 10kA, plug in

QO200

Product availability: Stock - Normally stocked in distribution facility

Price*: 70.00 USD

Main

Product	Switch
Range	QO
Current Rating	60 A
Voltage Rating	240 V AC
Mounting Type	Plug-in
Number of Poles	2P
Electrical Connection	Box lugs

Complementary

Interrupt Rating	10 kA 240 V AC
Number of Panel Spaces	2
Wire Size	AWG 8...AWG 2 copper or aluminium
Tightening Torque	44.3 lbf.in (5 N.m) 0.02...0.04 in ² (10...25 mm ²) (AWG 8...AWG 2)
Height	3.1 in (79 mm)
Width	1.5 in (38 mm)
Depth	2.9 in (74 mm)
Product Weight	0.540 lb(US) (0.245 kg)

Environment

Certifications	UL Listed CSA
----------------	------------------

Ordering and shipping details

Category	US1DE2A00080
Discount Schedule	DE2A
GTIN	00785901371700
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	1.50 in (3.810 cm)
Package 1 Width	3.50 in (8.890 cm)
Package 1 Length	3.50 in (8.890 cm)
Package 1 Weight	8.640 oz (244.940 g)

Contractual warranty

Warranty	18 months
----------	-----------

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
SCIP Number	Af42fb01-813d-40c0-ae28-b8b3299dbc99
REACH Regulation	REACH Declaration
China RoHS Regulation	China RoHS declaration

Use Again

Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Halogen content performance	Halogen free product
Take-back	No