SQUARE D



! Discontinued

Mini circuit breaker, QO, 20A, 3 pole, 240VAC, 10kA, plug in, 30mA grd fault B

QO320EPD

! Discontinued on: Oct 5, 2021

! End-of-service on: Oct 31, 2021

-

		n
•••	•	••

Product	Miniature circuit-breaker	
Range	QO	
Current Rating	20 A	
Voltage Rating	240 V AC	
Mounting Type	Plug-in	
Number of Poles	3P	
Circuit Breaker Type	Ground fault protecting class B 30 mA	
Ratings	Not rated	
Electrical Connection	Pressure plate	

Complementary

Interrupt Rating	10 kA 240 V AC	
Number of Panel Spaces	3	
Wire Size	AWG 14AWG 8 copper AWG 12AWG 8 aluminum	
Tightening Torque	35.4 lbf.in (4 N.m) 40.7 lbf.in (4.6 N.m) 0.0060.03 in² (420 mm²) AWG 12AWG 4)	
Height	4.1 in (105 mm)	
Width	2.2 in (57 mm)	
Depth	2.9 in (74 mm)	
Product weight	1.329 lb(US) (0.603 kg)	

Environment

Certifications	UL listed CSA
Ambient Rating	104 °F (40 °C)

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.60 in (6.604 cm)
Package 1 Width	3.50 in (8.89 cm)

Package 1 Length	6.50 in (16.51 cm)
Package 1 Weight	1.329 lb(US) (0.603 kg)

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture	
Take-back	No