

Product data sheet

Specifications

SQUARE D



Main breaker, QO, 200A, 2 pole,
120/240VAC, 22kA, bolt on

QOM2200VH

Main

Product	Miniature circuit-breaker
Range	QO
Current Rating	200 A
Voltage Rating	120/240 V AC 120 V AC
Mounting Type	Bolt-on
Number of Poles	2P
Circuit Breaker Type	Standard
Electrical Connection	Lugs
Frame Size	QOM2

Complementary

Interrupt Rating	22 kA 120/240 V AC 22 kA 120 V AC
Wire Size	AWG 4...300 kcmil aluminum/copper
Tightening Torque	53.1 lbf.in (6 N.m) 0.006...0.1 in² (4...65 mm²) AWG 12...AWG 2/0
Height	5.6 in (142 mm)
Width	3.6 in (91 mm)
Depth	5.08 in (129 mm)
Product weight	2.568 lb(US) (1.165 kg)
Load Center Type	Main Breaker
Number of Phases	1 phase
For Use With	QO load center Homeline load center
Breaker compatibility	Load center QO Load center Homeline

Environment

Certifications	UL listed CSA
Ambient Rating	104 °F (40 °C)

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications


Number of Units in Package 1	1
Package 1 Height	4.40 in (11.176 cm)
Package 1 Width	5.50 in (13.970 cm)
Package 1 Length	6.50 in (16.510 cm)
Package 1 Weight	2.568 lb(US) (1.165 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	208
Package 2 Height	21.00 in (53.340 cm)
Package 2 Width	40.00 in (101.600 cm)
Package 2 Length	48.00 in (121.920 cm)
Package 2 Weight	534.143 lb(US) (242.283 kg)

Environmental Data


Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)


[How we assess product sustainability >](#)

 Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	254
Environmental Disclosure	Product Environmental Profile

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
China RoHS Regulation	China RoHS declaration

Use Again

 Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No