



MATERIAL FACT SHEET

132573 QX41

General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000132573

FA-MOD PLC: Digital Input Module

Series	MELSEC-Q SERIES
Type	DC INPUT (PLUS COMMON)
Occupied I/O Points on PLC	32
Integrated Digital Inputs	32
Rated Input Voltage (VDC)	24
Wiring	CONNECTOR
Int. Current Consumption (A)	0,075

Product Dimensions & Weight

Width (mm)	27,4
Height (mm)	98
Depth (mm)	90
Weight (kg)	0,123

Logistic Dimensions & Gross Weight

Length (cm)	13,5
Width (cm)	10,5
Height (cm)	4,0
Gross Weight (kg)	0,137
Volume (cdm)	0,567

Stock Data

Planned Delivery Time (Days)	75
------------------------------	----

Life Cycle

Sales Start	09.11.2000
Predecessor	69727 / A1SX41(C)

Additional Product Information

Battery included	NO
------------------	----

Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=QX41&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=QX41&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=QX41&doc-lang=en

Product Packaging

Cardboard (g)	40
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	0
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
155570	IC1 QX10-40,70,80/QY10-40,50,68,70,80	1	PC
155571	IC1 QX41,71,81 / QY41,71,81	1	PC
155573	IC1 QX41P,42P,72 / QY41,42	1	PC
155576	PHOTO COUPLER OI QX28,QY50/80 PS27051F4L	8	PC
155578	PHOTO COUPLER OI Q I/O Modules PS2801-4	8	PC
155579	PHOTO COUPLER OI QX10,70,71,72 PS2805-4	8	PC
155580	PHOTO COUPLER OI QY68A TLP191B(TPL)	8	PC
155581	PHOTO COUPLER OI QX41,42 TLP281-4(GB-TPL)	8	PC
155582	PHOTO COUPLER OI QY70,71 TLP280(MBS-TP)	8	PC
155583	PHOTO COUPLER OI QI60 PS2503L-4	8	PC
158208	Front Panel QX41 D610B701G53	1	PC
158249	CASE REAR Q Series I/O Special Modules	1	PC

Compatible products

Material	Description / Price List Text / Classification
140991	Q40CBL-3M PLC Connection cable 40-pin modules (A6CON-type), shielded, length 3 m, open end Class 100100214: FA-MOD PLC: Cable
140997	Q40CBL-5M PLC Connection cable 40-pin modules (A6CON-type), shielded, length 5 m open end Class 100100214: FA-MOD PLC: Cable
202286	FA-CBL05FMV Connection cable; PLC 40-pin I/O connector to 32-point terminal block; 0,5 m Class 100100214: FA-MOD PLC: Cable
227165	FA-CBL10FMV Connection cable; PLC 40-pin I/O connector to 32-point terminal block; 1 m Class 100100214: FA-MOD PLC: Cable
278130	FA-CBL50FMV Connection cable; PLC 40-pin I/O connector to 32-point terminal block; 5 m Class 100100214: FA-MOD PLC: Cable
279750	FA-CBL30FMV Connection cable; PLC 40-pin I/O connector to 32-point terminal block; 3 m Class 100100214: FA-MOD PLC: Cable
308387	FA1-TESV32XY Connector Spring Clamp 32 Point Terminal Conversion Unit Class 100100215: FA-MOD PLC: Other Option
686133	FA-CBL100FMV Connection cable for DC-dedicated distributed type conversion modules; 10 m Class 100100214: FA-MOD PLC: Cable