Product datasheet

Specifications





Saturn Zen Enhanced DLT Wall Switch - C-Bus - Zen White Fascia - White grid

R5045EDLW-ZW

Main

Range	C-Bus	
Product brand	Clipsal	
Product name	C-Bus Saturn Zen	
Product or component type	Wall plate	
Device application	Control	

Complementary

Complementary	Complementary		
Colour	Cover plate: zen white Grid: white		
Provided equipment	Mounting plate Flying lead		
Control type	5 x push-button dual-action		
Local signalling	Status: LED (tri-colour) on push-button		
Switch application	Lighting Timer Audio Blind control Fan speed control Scene control On/off switching Shutter control Dimming up/down control Page navigation		
Local display	Backlit LCD display		
Display type	Colour TFT display		
display size	2.8 inch		
Messages display capacity	Up to 4 pages		
Information displayed	Load type Temperature Power Date Time Operating mode		
Number of outputs	16 in 4 page option 5 in 1 page option		
Function of module	Proximity sensor monitoring wake-up		
Communication port protocol	C-Bus - 2 wires		
[Us] rated supply voltage	1536 V: DC		
Maximum supply current	32 mA		
Material	Plastic		

Connector type	Mini USB port (rear) Socket (rear) for C-Bus	
Function available	Firmware update by USB	
User language	Multi-language	
Product compatibility	LAN cable Cat. 5e	
Electrical connection	Flying lead	
Clamping connection capacity	0.21.5 mm ²	
Fixing mode	By screws	
mounting support	Wall	
Width	83 mm	
Height	123 mm	
Depth	35 mm	
Embedding depth	23.5 mm	
Colour code	ZW	

Environment

IP degree of protection	IP20
Ambient air temperature for operation	545 °C
Product certifications	CE RCM

Packing Units

U	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8 cm
Package 1 Width	11 cm
Package 1 Length	15.5 cm
Package 1 Weight	299 g
Unit Type of Package 2	CAR
Number of Units in Package 2	8
Package 2 Height	20.6 cm
Package 2 Width	22.5 cm
Package 2 Length	33 cm
Package 2 Weight	2.1 kg
Unit Type of Package 3	P12
Number of Units in Package 3	400
Package 3 Height	50 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	108 kg

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information