



Representative Image

## Catalog No. SELA36AI0150

Description: E-FRAME 3P 600V 150A MAG-BREAK

UPC No

Home > Circuit Breakers > Molded Case Circuit Breakers > Spectra RMS™ Electronic Trip

Spectra RMS Molded Case Circuit Breakers (SE150, SF250, SG600 and SK1200) have a digital, solid state, RMS sensing trip system with field installable, front-mounted rating plugs to establish or change the breaker ampere rating. Adjustable instantaneous with tracking short-time is standard on all frames. The trip system uses digital sampling to determine the RMS value of sinusoidal and non-sinusoidal currents. E-FRAME 3P 600V 150A MAG-BREAK

### Descriptors

Category	Spectra RMS™ Electronic Trip
Product Line	Spectra RMS - Standard
GO Schedule	1415

### Specifications

Trip Style	Interchangeable
Poles	3
Amperage	110 A 125 A 150 A
System Voltage	120 Vac 120/240 Vac 240 Vac 277 Vac 480 Vac 600 Vac
Frame Type	SE150
120 Vac Interrupting Rating	100 KAIC
120/240 Vac Interrupting Rating	100 KAIC
240 Vac Interrupting Rating	100 KAIC
277 Vac Interrupting Rating	65 KAIC
480 Vac Interrupting Rating	65 KAIC
600 Vac Interrupting Rating	25 KAIC
Trip Function	Mag Only
Continuous Current Rated	Standard
Suitable for Reverse Feed	Yes
Lugs	TCAL18
Long Time	No
Instantaneous	Adjustable
Current Metering	No
Protective Relays	No
GSA Compliance	No

## Classifications

UL File #	E11592
CSA File#	LR40350

## Publications

Title	Publication No.	Publication Type
<a href="#">SE (150AF 110/125A) Mag-Break; Tracking Short Time Instantaneous</a> 1-page time current curve.	K215-188B	Time Current Curves
<a href="#">SE (150AF 150A) Mag-Break; Tracking Short Time Instantaneous</a> 1-page time current curve.	K215-189B	Time Current Curves
<a href="#">SE (100AF 70-150AT); Let-Through Energy</a> 1-page peak let through energy curve.	K215-196A	Time Current Curves
<a href="#">SE (150AF 100/150AF); Peak Let-Through Current</a> 1-page peak let through current curve.	K215-197A	Time Current Curves

**Additional Documentation:** Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.