

Product datasheet

Specifications

connection cable USB/RJ45 - for connection between PC and drive



TCSMCNAM3M002P

⚠ End-of-service on: 20-Nov-2023

⚠ Discontinued

Main

Range compatibility	Altivar Machine ATV340 Lexium 32i Lexium 28 Lexium ILA, ILE, ILS Acti9 Smartlink Altivar 312 Solar SoMove Altivar Machine ATV320 Altivar 12
Connector type	USB/RJ45
Accessory / separate part categor	Connection accessory
accessory / separate part type	Cordset
Device connection	Between PC and drive

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3 cm
Package 1 Width	18 cm
Package 1 Length	18 cm
Package 1 Weight	172 g
Unit Type of Package 2	S04
Number of Units in Package 2	48
Package 2 Height	30 cm
Package 2 Width	40 cm
Package 2 Length	60 cm
Package 2 Weight	8.256 kg
Unit Type of Package 3	P06
Number of Units in Package 3	192
Package 3 Height	80 cm
Package 3 Width	80 cm
Package 3 Length	60 cm
Package 3 Weight	49.616 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.


Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

 Reach Free Of Svhc

 Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive [Pro-active compliance \(Product out of EU RoHS legal scope\)](#)
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)