

Catalog No. THQD22175WL



Description TQD

UPC No 783164087864

Products > Circuit Breakers > Mini Circuit Breakers & Supplementary Protectors > Q-Line

Miniature Circuit Breakers

The TQD Line of devices include thermal magnetic molded case circuit breakers and molded case switches. The devices are complete with Cu/Al line and load lugs.

Specifications

Descriptors

Category	Q-Line Miniature Circuit Breakers
GO Schedule	EF

Specifications

Trip Style	Non-Interchangeable
Frame Type	Q-Line
Amperage	175 A
System Voltage	120 Vac, 120/240 Vac, 240 Vac
Poles	2
Trip Function	LI
Continuous Current Rated	Standard
120 Vac Interrupting Rating	22 KAIC
120/240 Vac Interrupting Rating	22 KAIC
240 Vac Interrupting Rating	22 KAIC
Lugs	TCAL25
Suitable for Reverse Feed	Yes
Product Line	Thermal Magnetic
Long Time	Fixed
Instantaneous	Fixed
Protective Relays	No
Current Metering	No
Special Markings	HACR
GSA Compliance	No

Classifications

UL File #	E11592
-----------	--------

Publications

Title	Publication No.	Publication Type
TQD / THQD MCCB, 2- Pole 100-225 Ampere, Drawing		Drawings-Outline and Dimensional
1 page, Fully Dimensioned Layout Drawing in .pdf format	455C765-SH3	
TQD / THQD MCCB, 2- Pole 100-225 Ampere, Drawing		Drawings-Outline and Dimensional
1 page, Fully Dimensioned Layout Drawing in .dxf format	455C765-SH3-DXF	
TQD / THQD MCCB, 2- and 3- Pole 100-225 Ampere, Drawing		Drawings-Outline and Dimensional
1 page, Non-dimensioned full scale layout drawing in .dxf format	TQD225 2-3P-DXF	
Additional Documentation: Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.		