



Representative Image

## Catalog No. THQD32200

Description: THQD 3 POLE 240V 22K IC 200 AMP

UPC No 783164087987

Home > Circuit Breakers > Miniature Circuit Breakers > Q-Line Miniature Circuit Breakers

The TQD Line of devices include thermal magnetic molded case circuit breakers and molded case switches. The devices are complete with Cu/Al line and load lugs. 2200 Amps 200 A

### Descriptors

Category	Q-Line Miniature Circuit Breakers
Product Line	Thermal Magnetic
GO Schedule	EF

### Specifications

Trip Style	Non-Interchangeable
Frame Type	Q-Line
Amperage	200 A
System Voltage	120 Vac 120/240 Vac 240 Vac
Poles	3
Trip Function	LI
Continuous Current Rated	Standard
120 Vac Interrupting Rating	22 KAIC
120/240 Vac Interrupting Rating	22 KAIC
240 Vac Interrupting Rating	22 KAIC
Lugs	TCAL25
Suitable for Reverse Feed	Yes
Wire Range (Cu/Al)	(2) 1-300
Long Time	Fixed
Instantaneous	Fixed
Protective Relays	No
Current Metering	No
Special Markings	HACR
GSA Compliance	No

### Classifications

UL File #	E11592
-----------	--------



Publications

Title	Publication No.	Publication Type
<a href="#">200A 3PH THQD BREAKER 22K @ 208Y/120V FOR USE WITH 200&amp;225A GE METER STACKS</a> THQD32200 - 2P 200A 22K Breaker for 200&225A Sockets Outline Drawing	DEE-881	Drawings-Outline and Dimensional

**Additional Documentation:** Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.