Product datasheet

Specifications





Cover frame, Unica Pure, with fixing frame, 1 gang, 1 module, rhodium black

UNPCP1M_MD

Main

Range of product	Unica
Range	Unica Pure
Product or component type	Cover frame

Complementary

Module size	1 module
Colour tint	Rhodium black
Device mounting	Flush
Provided equipment	Fixing frame
Width	98 mm
Height	101 mm
Depth	15 mm
Net weight	0.138 kg
Material	Aluminium alloy: main PC: front cover Zinc plated CRCA steel with PP plastic over molded: fixing frame

Environment

Ambient air temperature for storage	-535 °C
Relative humidity	1095 %
Environmental characteristic	Indoor use

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	9.8 cm
Package 1 Length	10.1 cm
Package 1 Weight	140.196 g
Unit Type of Package 2	BB1
Number of Units in Package 2	24
Package 2 Height	32 cm
Package 2 Width	27 cm

14.5 cm

Package 2 Weight

3.365 kg

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Circularity Profile	No need of specific recycling operations