Product datasheet

Specifications

Cover frame, Unica Pure, with fixing frame, 1 gang, 8 module linear, pewter Grey

UNPCP8ML_ML

Main

Range of product	Unica
Range	Unica Pure
Product or component type	Cover frame

Complementary

Module size	8 Module Linear
Colour tint	Pewter Grey
Device mounting	Flush
Provided equipment	Fixing frame
Width	254 mm
Height	101 mm
Depth	15 mm
Net weight	0.299 kg
Material	Aluminium alloy: main PC: front cover Zinc plated CRCA steel with PP plastic over molded: fixing frame

Environment

Ambient air temperature for storage	-5…35 °C
Relative humidity	10…95 %
Environmental characteristic	Indoor use

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.54 cm
Package 1 Width	13.97 cm
Package 1 Length	33.02 cm
Package 1 Weight	390 g
Unit Type of Package 2	BB1
Number of Units in Package 2	12
Package 2 Height	21 cm
Package 2 Width	33.5 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Length	44 cm
Package 2 Weight	3.616 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

RoHS/REACh

Well-being performance

- Reach Free Of Svhc
- Toxic Heavy Metal Free
- Mercury Free
- Rohs Exemption Information — Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Circularity Profile	No need of specific recycling operations