Product datasheet

Specifications





Switch, Unica Pure, 1-pole 2-way, 16AX, 240V, 2 modules, pillar terminals, white

UNS162SW2M_WE

Main

Range	Unica Pure
Product or component type	Switch
device presentation	Mechanism
Technology type	Electromechanical
Colour tint	White (RAL 9003)

Complementary

Device mounting	Flush
Number of rocker	1
Number of modules	2 modules
Control type	Rocker
Switch function	1-pole 2-way
Rated current	16 AX
[Ue] rated operational voltage	240 V
network type	AC
network frequency	50 Hz
Material	PC: front cover PA6: back cover
Connections - terminals	Pillar terminals
Width	22.5 mm
Height	45 mm
Depth	47.2 mm

Environment

Ambient air temperature for operation	-535 °C
Relative humidity	1095 %
Environmental characteristic	Indoor use
Standards	IS 3854
IP degree of protection	IP20

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1	1
Package 1 Height	4.71 cm
Package 1 Width	4.51 cm
Package 1 Length	4.45 cm
Package 1 Weight	27.5 g
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	5.9 cm
Package 2 Width	4.515 cm
Package 2 Length	23.2 cm
Package 2 Weight	275.0 g



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations