

# USB charger, Unica Pure, 2.1A 5V type A, 1 module, grey

UNS21USB1P1M\_GY

#### Main

Range	Unica Pure
Product or component type	USB charger
device presentation	Mechanism
Type of USB power supply	USB type A
Colour tint	Grey (RAL 7016)
Type of packing	Flow-pack
Quantity per set	1
Main colour tint	Grey
[Ue] rated operational voltage	100240 V
network type	AC
network frequency	50/60 Hz

### Complementary

Device mounting	Flush
Output current	2.1 A
Surface finish	Satin
Number of modules	1 module
Fixing mode	Snap-in
Material	PC: front cover PA6: base cover
Wire stripping length	10 mm
Height	45 mm
Width	22.5 mm
Depth	38.5 mm
Net weight	0.034 kg

#### **Environment**

Ambient air temperature for operation	-1045 °C
Relative humidity	1095 %
Standards	IEC 60950-1 IS 13252
Environmental characteristic	Indoor use

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.25 cm
Package 1 Width	4.13 cm
Package 1 Length	4.63 cm
Package 1 Weight	34 g
Unit Type of Package 2	BB1
Number of Units in Package 2	15
Package 2 Height	10.5 cm
Package 2 Width	7.5 cm
Package 2 Length	24 cm
Package 2 Weight	540 g

#### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

#### Well-being performance

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)