Product datasheet

Specifications



USB charger, Unica Pure, 2.1A 5V type A+A, 2 module, white

UNS21USB2P2M_WE

Main

Range	Unica Pure
Product or component type	USB charger
device presentation	Mechanism
Type of USB power supply	USB type A + A
Colour tint	White (RAL 9003)
Type of packing	Flow-pack
Quantity per set	1
Number of terminals	2 2 screw terminals
Main colour tint	White
[Ue] rated operational voltage	100240 V
network type	AC
network frequency	50/60 Hz

Complementary

	5
Device mounting	Flush
Output current	2.1 A
Surface finish	Glossy
Number of modules	2 modules
Fixing mode	Snap-in
Material	PC: front cover PA6: base cover
Wire stripping length	10 mm
Height	45 mm
Width	45 mm
Depth	38.5 mm
Net weight	0.049 kg

Environment

Ambient air temperature for operation	-1045 °C
Relative humidity	1095 %
Standards	IEC 60950-1 IS 13252

Environmental characteristic Indoor use

Packing Units

U	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.84 cm
Package 1 Width	4.5 cm
Package 1 Length	4.5 cm
Package 1 Weight	51 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	5.9 cm
Package 2 Width	10.4 cm
Package 2 Length	23.2 cm
Package 2 Weight	510 g

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)