Product datasheet

Specification





Bell press switch, Unica Pure, 6A, 250V, 2 module, pillar terminal, grey

UNS6BP2M_GY

Main

Range	Unica Pure	
Product or component type	Push-button	
device presentation	Mechanism	
Technology type	Electromechanical	
Switch application	Bell	
Colour tint	Grey (RAL 7016)	

Complementary

Device mounting	Flush	
Number of rocker	1	
Number of modules	2 modules	
Control type	Rocker	
Rated current	6 A	
[Ue] rated operational voltage	250 V	
network type	AC	
network frequency	50 Hz	
Material	PC: front cover PA6: base cover	
Connections - terminals	Pillar terminals	
Width	45 mm	
Height	45 mm	
Depth	47.2 mm	

Environment

Ambient air temperature for operation	-535 °C
Relative humidity	1095 %
Environmental characteristic	Indoor use
Standards	IS 3854
IP degree of protection	IP20

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1	1
Package 1 Height	4.72 cm
Package 1 Width	4.5 cm
Package 1 Length	4.5 cm
Package 1 Weight	26 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	5.9 cm
Package 2 Width	10.4 cm
Package 2 Length	23.2 cm
Package 2 Weight	260 g



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
Ø	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations