Product datasheet

Specifications





Switch, Unica Pure, 1-pole 1-way, 6AX, 1 module, pillar terminals, white

UNS61SW1M_WE

Main

Range	Unica Pure
Product or component type	Switch
device presentation	Mechanism
Technology type	Electromechanical
Colour tint	White (RAL 9003)

Complementary

oomplemental y	
Device mounting	Flush
Number of rocker	1
Number of modules	1 module
Control type	Rocker
Switch function	1-pole 1-way
Rated current	6 AX
[Ue] rated operational voltage	240 V
network type	AC
network frequency	50 Hz
Material	PC: front cover PA6: back cover
Connections - terminals	Pillar terminals
Width	22.5 mm
Height	45 mm
Depth	47.2 mm

Environment

Ambient air temperature for operation	-535 ℃
Relative humidity	1095 %
Environmental characteristic	Indoor use
Standards	IS 3854
IP degree of protection	IP20

Packing Units

Unit Type of Package 1

PCE

Number of Units in Package 1	1
Package 1 Height	9 cm
Package 1 Width	11.2 cm
Package 1 Length	24.8 cm
Package 1 Weight	24 g
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	10.5 cm
Package 2 Width	7.5 cm
Package 2 Length	24 cm
Package 2 Weight	480 g

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations