


Product datasheet

Specifications



Socket-outlet, Unica Pure,
mechanism, 2P + E, 6A, with
shutter grey

UNS6SK3P2MNS_GY

Main

Range	Unica Pure
Product or component type	Socket-outlet
device presentation	Mechanism
Number of modules	2 modules
Socket number	1
Colour tint	Grey (RAL 7016)

Complementary

Device mounting	Flush
Outlet poles configuration	2P + E
Cover type	With shutter
Rated current	6 A
[Ue] rated operational voltage	250 V
network type	AC
network frequency	50/60 Hz
Material	PC front cover PA6 back cover
Connections - terminals	Screw terminal
Fixing mode	Snap-fitted
Width	45 mm
Height	45 mm
Depth	32 mm
Resistance to chemical agents	Not resistant to alcohols Not resistant to cleaning agent Not resistant to thinner

Environment

Ambient air temperature for operation	-5...35 °C
Relative humidity	10...95 %
Standards	IS 1293
IP degree of protection	IP20

Packing Units

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.16 cm
Package 1 Width	10.5 cm
Package 1 Length	13.5 cm
Package 1 Weight	32 g
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	5.5 cm
Package 2 Width	10 cm
Package 2 Length	23.5 cm
Package 2 Weight	369 g
Unit Type of Package 3	BB1
Number of Units in Package 3	120
Package 3 Height	24.5 cm
Package 3 Width	26 cm
Package 3 Length	33 cm
Package 3 Weight	4.64 kg

Sustainability



Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations