Product datasheet

Specifications





Socket-outlet, Unica Pure, mechanism, 2P + E, 6A, with shutter polar white

UNS6SK3P2MNS_WE

Main

Range	Unica Pure
Product or component type	Socket-outlet
device presentation	Mechanism
Number of modules	2 modules
Socket number	1
Colour tint	White (RAL 9003)

Complementary

· · · · · · · · · · · · · · · · · ·	
Device mounting	Flush
Outlet poles configuration	2P + E
Cover type	With shutter
Rated current	6 A
[Ue] rated operational voltage	250 V
network type	AC
network frequency	50/60 Hz
Material	PC front cover PA6 back cover
Connections - terminals	Screw terminal
Fixing mode	Snap-fitted
Width	45 mm
Height	45 mm
Depth	32 mm
Resistance to chemical agents	Not resistant to alcohols Not resistant to cleaning agent Not resistant to thinner

Environment

Ambient air temperature for operation	-535 °C
Relative humidity	1095 %
Standards	IS 1293
IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.2 cm
Package 1 Width	6.2 cm
Package 1 Length	8.3 cm
Package 1 Weight	32 g
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	5.5 cm
Package 2 Width	10 cm
Package 2 Length	23.5 cm
Package 2 Weight	370 g
Unit Type of Package 3	BB1
Number of Units in Package 3	120
Package 3 Height	24.5 cm
Package 3 Width	26 cm
Package 3 Length	33 cm
Package 3 Weight	4.64 kg

2

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations