# **Product datasheet**

Specifications





# Cover Frame, Unica Pure, with fixing frame, 2 gangs, 2 x 6 modules, volcanic grey

UNSCP12M\_GY

#### Main

Range	Unica Pure	
Product or component type	Cover frame	
Device mounting	Flush	

## Complementary

Module size	12 modules	
Colour tint	Volcanic grey	
Material	PC: front cover Zinc plated CRCA steel with PP plastic over molded: fixing frame	
Provided equipment	Fixing frame	
Width	233 mm	
Height	167 mm	
Depth	15 mm	
Net weight	0.312 kg	

#### **Environment**

Ambient air temperature for storage	-535 °C
Relative humidity	1095 %
Environmental characteristic	Indooruse

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.4 cm
Package 1 Width	29 cm
Package 1 Length	29 cm
Package 1 Weight	320 g
Unit Type of Package 2	BB1
Number of Units in Package 2	5
Package 2 Height	8.8 cm
Package 2 Width	25.9 cm
Package 2 Length	17.2 cm

Package 2 Weight

1.57 kg



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

<b>②</b>	Reach Free Of Svhc	
<b>②</b>	Toxic Heavy Metal Free	
<b>②</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations