# Product datasheet

Specifications

Green Premium™

Cover Frame, Unica Pure, with fixing frame, 2 gangs, 2 x 8 modules, sandy beige

UNSCP16M_CL

Main

Range	Unica Pure
Product or component type	Cover frame
Device mounting	Flush

Complementary

Module size	16 modules
Colour tint	Sandy beige
Material	PC: front cover Zinc plated CRCA steel with PP plastic over molded: fixing frame
Provided equipment	Fixing frame
Width	254 mm
Height	167 mm
Depth	15 mm
Net weight	0.299 kg

Environment

Ambient air temperature for storage	-5…35 °C
Relative humidity	10…95 %
Environmental characteristic	Indoor use

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	25.4 cm
Package 1 Length	16.7 cm
Package 1 Weight	301 g
Unit Type of Package 2	BB1
Number of Units in Package 2	5
Package 2 Height	8.8 cm
Package 2 Width	25.9 cm
Package 2 Length	17.2 cm

Package 2 Weight   1.505 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium 〉

Guide to assess a product's sustainability 〉

Transparency   RoHS/REACh

Well-being performance

✅ Reach Free Of Svhc

✅ Toxic Heavy Metal Free

✅ Mercury Free

✅ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

                                        EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

                                        Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure   Product Environmental Profile

Circularity Profile   No need of specific recycling operations