

Product datasheet

Specifications



Cover Frame, Unica Pure, with fixing frame, 1 gang, 1 module, sandy beige

UNSCP1M_CL

Main

Range	Unica Pure
Product or component type	Cover frame
Device mounting	Flush

Complementary

Module size	1 module
Colour tint	Sandy beige
Material	PC: front cover Zinc plated CRCA steel with PP plastic over molded: fixing frame
Provided equipment	Fixing frame
Width	98 mm
Height	101 mm
Depth	15 mm
Net weight	0.082 kg

Environment

Ambient air temperature for storage	-5...35 °C
Relative humidity	10...95 %
Environmental characteristic	Indoor use

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	9.8 cm
Package 1 Length	10.1 cm
Package 1 Weight	84.5 g
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	16 cm
Package 2 Width	21 cm
Package 2 Length	10.6 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight

1.69 kg

Sustainability



Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations