Product datasheet

Specifications





Cover Frame, Unica Pure, with fixing frame, 1 gang, 4 modules, volcanic grey

UNSCP4M_GY

Main

Range	Unica Pure
Product or component type	Cover frame
Device mounting	Flush

Complementary

Module size	4 modules
Colour tint	Volcanic grey
Material	PC: front cover Zinc plated CRCA steel with PP plastic over molded: fixing frame
Provided equipment	Fixing frame
Width	159 mm
Height	101 mm
Depth	15 mm
Net weight	0.155 kg

Environment

Ambient air temperature for storage	-535 °C
Relative humidity	1095 %
Environmental characteristic	Indoor use

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.8 cm
Package 1 Width	10.6 cm
Package 1 Length	16.2 cm
Package 1 Weight	140 g
Unit Type of Package 2	BB1
Number of Units in Package 2	14
Package 2 Height	16 cm
Package 2 Width	21 cm
Package 2 Length	10.6 cm

Package 2 Weight

2.198 kg

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations