# **Product datasheet**

Specifications





# Shutter control switch, Unica Pure, 2 module, piller terminal, white

UNSCURTAINSW2M\_WE

#### Main

Range	Unica Pure	
Product or component type	Shutter control	
Device application	-	
device presentation	Mechanism	
Technology type	Electromechanical	
Colour tint	White (RAL 9003)	

## Complementary

Device mounting	Flush	
Number of rocker	2	
Number of modules	2 modules	
Control type	Rocker	
Material	PC: front cover PA6: back cover	
Connections - terminals	Pillar terminals	
Width	45 mm	
Height	45 mm	
Depth	47.2 mm	

#### **Environment**

Ambient air temperature for operation	-535 °C
Relative humidity	1095 %
Environmental characteristic	Indoor use
IP degree of protection	IP20

### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.72 cm
Package 1 Width	4.5 cm
Package 1 Length	4.5 cm
Package 1 Weight	45 g

Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	5.9 cm
Package 2 Width	10.4 cm
Package 2 Length	23.2 cm
Package 2 Weight	450 a



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>Ø</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations