

Product datasheet

Specifications



TV socket, Unica Pure,
mechanism, 1 module, coaxial,
IP20, grey

UNSTVCOAX1M_GY

Main

Range	Unica Pure
Product or component type	TV socket
device presentation	Mechanism
Colour tint	Grey (RAL 7016)

Complementary

TV connector	Coaxial
Number of modules	1 module
Material	PC (polycarbonate)
Surface finish	Satin
Device mounting	Flush
Fixing mode	Snap-in
Depth	16.4 mm
Width	22.5 mm
Height	45 mm
Net weight	0.017 kg
Ambient air temperature for storage	-5...35 °C

Environment

IP degree of protection	IP20
Environmental characteristic	Indoor use

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	16 cm
Package 1 Width	15.2 cm
Package 1 Length	25.9 cm
Package 1 Weight	12 g
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	10.5 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	7.5 cm
Package 2 Length	24 cm
Package 2 Weight	240 g

Sustainability



Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes

Certifications & Standards

Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations