Product datasheet

Specifications





remote graphic terminal, Altivar, 240 x 160pixels, IP54

VW3A1101

(!) End-of-service on: 20-Nov-2023

(!) Discontinued

Main

Range of product	Altivar	
Range compatibility	Altivar 312	
	Altivar 61	
	Altivar Lift	
	Altivar 32	
	Altivar Machine ATV320	
	Altivar 312 Solar	
	Altivar 212	
	Altivar 71	
	Altivar 61Q	
	Altivar 71Q	
Accessory / separate part category	Display and signalling accessories	
Accessory / separate part type	Display terminal	
accessory / separate part destination	Variable speed drive	
Product specific application	To control, adjust and configure the drive	
	To save and download configurations	
	To display the current values	
IP degree of protection	IP54	

Complementary

mounting location	On the door of an enclosure
User language	Italian
	English
	French
	Spanish
	German
	Chinese
Messages display capacity	8 lines
Pixel resolution	240 x 160
Net weight	0.145 kg

Environment

Ambient air temperature for	-1550 °C
operation	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.000 cm

Package 1 Width	16.500 cm
Package 1 Length	23.000 cm
Package 1 Weight	275.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	7
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	2.413 kg
Unit Type of Package 3	P06
Number of Units in Package 3	56
Package 3 Height	77.000 cm
Package 3 Width	80.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	28.420 kg

Contractual warranty

Warranty

18 months

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Mercury Free

Rohs Exemption Information

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations