# Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# remote cable, Altivar, Lexium, 1m, for graphic display terminal



VW3A1104R10

### Main

| Altivar                         |
|---------------------------------|
| Connection accessory            |
| Remote cable                    |
| VW3M1701                        |
| VW3A1101                        |
| Remote graphic display terminal |
| Altivar 61                      |
| Altistart 22                    |
| Altivar 12                      |
| Altivar 212                     |
| Altivar 71                      |
| Altivar Machine ATV340          |
| Altivar 32                      |
| Altivar 71Q                     |
| Altivar 312                     |
| Easy Altivar 610                |
| Altivar 61Q                     |
| Altivar Process ATV600          |
| Altivar Machine ATV320          |
| Easy Altivar 310                |
| Altivar 312 Solar               |
| Lexium 32                       |
| Altivar Process ATV900          |
| 1 m                             |
|                                 |

## Complementary

| Electrical connection | 2 male connectors |
|-----------------------|-------------------|
| Connector type        | RJ45              |
| Net weight            | 0.05 kg           |

## **Packing Units**

| Unit Type of Package 1       | PCE       |
|------------------------------|-----------|
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 1.700 cm  |
| Package 1 Width              | 12.500 cm |
| Package 1 Length             | 16.500 cm |
| Package 1 Weight             | 55.000 g  |
| Unit Type of Package 2       | S03       |
| Number of Units in Package 2 | 50        |
| Package 2 Height             | 30.000 cm |

| Package 2 Width              | 30.000 cm |
|------------------------------|-----------|
| Package 2 Length             | 40.000 cm |
| Package 2 Weight             | 3.404 kg  |
| Unit Type of Package 3       | P06       |
| Number of Units in Package 3 | 400       |
| Package 3 Height             | 75.000 cm |
| Package 3 Width              | 60.000 cm |
| Package 3 Length             | 80.000 cm |
| Package 3 Weight             | 35.232 kg |

# **Contractual warranty**

Warranty 18 months

### **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

### Well-being performance

