Product datasheet

Specification





encoder interface card, Altivar, differential outpt, with RS422 compatible, 5V DC

VW3A3401

Main

Range of product	Altivar	
Product or component type	Encoder interface card	
Range compatibility	Altivar Lift	
	Altivar 61	
	Altivar 71Q	
	Altivar 71	
	Altivar 61Q	
Discrete output type	Differential	
Communication port protocol	RS422	
[Us] rated supply voltage	5 V DC (voltage limits: 55.5 V)	
Number of pulses per revolution	10000 for ATV71H383	
	5000 for all ATV61 drives	
	5000 for ATV71HM3	
	5000 for ATV71HM3X	
	5000 for ATV71HN4	
	0000 101 / 11 1 / 11 1 14 7	

Complementary

Maximum supply current	0.2 A
Protection type	Short-circuit protection Overload protection
Maximum cable distance between devices	50 m
Maximum operating frequency	300 kHz
Input signal	A B Compliment of A Compliment of B
Input impedance	440 Ohm
Electrical connection	Terminal, connection capacity: 0.2 mm² (AWG 24) <25 m cable length, encoder, 100 mA at 4.5 V Terminal, connection capacity: 0.5 mm² (AWG 20) <25 m cable length, encoder, 200 mA at 4.5 V Terminal, connection capacity: 0.5 mm² (AWG 20) <50 m cable length, encoder, 100 mA at 4.5 V Terminal, connection capacity: 0.75 mm² (AWG 18) <50 m cable length, encoder, 200 mA at 4.5 V
Net weight	0.2 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.500 cm

Package 1 Width	17.000 cm
Package 1 Length	23.000 cm
Package 1 Weight	142.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	7
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	1.479 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations