Product datasheet

Specifications





communication module Profinet, Altivar, 100Mbits, 2 x RJ45 connectors

VW3A3627

Main

Range of product	Altivar	
Product or component type	Communication module	
Complementary		
Range compatibility	Altivar Process ATV600 Altivar Machine ATV340 except Sercos drives Altivar Machine ATV320 Altivar 32 Altivar Process Modular Altivar Process ATV900	
Communication port protocol	Link Layer Discovery Protocol PROFINET	
Electrical connection	2 connectors RJ45, Ethernet	
Transmission rate	100 Mbits	
Display type	1 LED for MS (Module Status) 1 LED for NS (Network Status) 1 LED for TX/RX (Transmit/Receive port 1) 1 LED for TX/RX (Transmit/Receive port 2)	
Bus profile	PROFIdrive	
Net weight	0.3 kg	

Environment

Standards

IEC 61800-7-201 (CiA 402)

Packing Units

U	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.600 cm
Package 1 Width	6.500 cm
Package 1 Length	8.900 cm
Package 1 Weight	63.000 g
Unit Type of Package 2	\$03
Number of Units in Package 2	100
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm

Package 2 Weight

6.704 kg

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes
Pvc Free

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations