Specifications



#### ① Discontinued

## cable for Modbus serial link, Altistart 48, 1 x RJ45 and free wires at other end, cable 3m

VW3A8306D30

(!) End-of-service on: 20-Nov-2023

	•
M	ain
	uni

mann	
Accessory / separate part category	Connection accessories
Accessory / separate part type	Connecting cable
Accessory / separate part designation	Cable for Modbus serial link
accessory / separate part destination	Ethernet network XBTGT terminal Modbus bus serial line Soft stop unit Twido PC programming terminal
Range compatibility	TeSys U Harmony XBT Twido Advantys OTB Lexium SD3 Altistart Altistart
Cable length	3 m
Electrical connection	1 male connector RJ45 Free end

#### Complementary

Net weight

0.15 kg

#### **Packing Units**

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	13.000 cm
Package 1 Length	13.000 cm
Package 1 Weight	107.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	40
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	4.750 kg
Unit Type of Package 3	P06

Number of Units in Package 3	320
Package 3 Height	75.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	47.484 kg

### **Contractual warranty**

Warranty

18 months

#### **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

# Well-being performance Reach Free Of Svhc Rohs Exemption Information Yes Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration China Rohs Regulation China RoHS declaration