# **Product datasheet**

Specifications

Green Premium<sup>™</sup>



# Opale switch 1-way 6 A white

X1021WH

() Discontinued on: 03-Jul-2023

#### () Discontinued

#### Main

Range of product	Opale
Product or component type	Switch
device presentation	Mechanism with central plate
Quantity per set	Set of 10

## Complementary

Complementary		
Device mounting	Flush	
Number of modules	2 modules	
Actuator	Rocker	
Switch function	1-way	
Rated current	6 A	
Material	Plastic	
Surface finish	Satin	
Fixing mode	By captive screws	
Connections - terminals	Shrouded terminals	
Height	48 mm	
Width	42 mm	
Depth	35.6 mm	

#### Environment

Standards	IS 3854:1997/A1
IP degree of protection	IP20
Ambient air temperature for operation	-535 °C
Relative humidity	1095 %

#### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.1 cm
Package 1 Width	4.3 cm
Package 1 Length	3.3 cm

Package 1 Weight	17 g
Unit Type of Package 2	BB1
Number of Units in Package 2	120
Package 2 Height	250 cm
Package 2 Width	265 cm
Package 2 Length	335 cm
Package 2 Weight	2045 g

# Sustainability Screen

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

## Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

#### **Certifications & Standards**

Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations