



Opale switch with indicator lamp 1way 16 A white

X1181WH

Main

Range	Opale
Product or component type	Switch with indicator lamp
device presentation	Mechanism
Light source	Neon
Quantity per set	Set of 10
Colour tint	White

Complementary

Technology type	Electromechanical
Device mounting	Flush
Number of modules	1 module
Actuator	Rocker
Switch function	1-way
Rated current	16 A
[Ue] rated operational voltage	240 V
Lamp function	Indicator
network type	AC
Surface finish	Satin
network frequency	50 Hz
Fixing mode	By captive screws
Connections - terminals	Shrouded terminals
Material	ABS + PC: front cover PC: base cover
Height	48 mm
Width	21 mm
Depth	36.9 mm

Environment

Standards	IS 3854:1997/A1
IP degree of protection	IP20
Ambient air temperature for operation	-535 ℃
Relative humidity	1095 %

Environmental characteristic	Indoor use
Packing Units	

P	'acki	ng	U	nits

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.1 cm
Package 1 Width	4.3 cm
Package 1 Length	3.3 cm
Package 1 Weight	34 g



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
Ø	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations