# **Product datasheet**

Specifications

Sreen Premium™



# Opale socket-outlet 3P with shutters 6 A white

X2005WH

() Discontinued on: 15-Aug-2024

## Main

Range of product	Opale	
Product or component type	Socket-outlet	
device presentation	Mechanism with central plate	
Outlet poles configuration	3P with shutters	
Colour tint	White	
Quantity per set	Set of 10	

# Complementary

Number of power socket outlets	1	
Device mounting	Flush	
Number of modules	2 modules	
Rated current	6 A	
[Ue] rated operational voltage	250 V AC/DC	
Connections - terminals	Shrouded terminals	
Material	PC/ABS	
Surface finish	Satin	
Fixing mode	By captive screws	

## **Environment**

Environmental characteristic	Flame retardant	
Standards	IS 1293:1988	
IP degree of protection	IP20	

# **Packing Units**

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.1 cm
Package 1 Width	4.2 cm
Package 1 Length	2.1 cm
Package 1 Weight	34 g
Unit Type of Package 2	BB1

Number of Units in Package 2	280
Package 2 Height	215 cm
Package 2 Width	340 cm
Package 2 Length	445 cm
Package 2 Weight	9525 g

# Sustainability Screen

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

### Well-being performance

Reach Free Of Svhc
Mercury Free
Rohs Exemption Information Yes

## **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations