# Product datasheet

Specifications

Green Premium™

## Opale socket-outlet 3P with shutters 6 A white

X2106WH

## Main

| | |
|---|---|
| **Range** | Opale |
| **Product or component type** | Socket-outlet |
| **device presentation** | Mechanism |
| **Outlet poles configuration** | 3P with shutters |
| **Colour tint** | White |
| **[Ue] rated operational voltage** | 250 V |
| **network type** | AC |
| **network frequency** | 50/60 Hz |

## Complementary

| | |
|---|---|
| **Number of power socket outlets** | 1 |
| **Device mounting** | Flush |
| **Number of modules** | 2 modules |
| **Rated current** | 6/16 A |
| **Connections - terminals** | Shrouded terminals |
| **Surface finish** | Satin |
| **Fixing mode** | Snap-fitted |
| **Material** | PC: front cover<br>PA (polyamide) 6: base cover |
| **Height** | 51 mm |
| **Width** | 42.25 mm |
| **Depth** | 30.2 mm |
| **Resistance to chemical agents** | Not resistant to alcohols<br>Not resistant to cleaning agent<br>Not resistant to thinner |

## Environment

| | |
|---|---|
| **Environmental characteristic** | Flame retardant |
| **Standards** | IS 1293 |
| **IP degree of protection** | IP20 |
| **Ambient air temperature for operation** | -5…35 °C |
| **Relative humidity** | 10…95 % |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Number of Units in Package 1** | 1 |
| **Package 1 Height** | 5.1 cm |
| **Package 1 Width** | 4.2 cm |
| **Package 1 Length** | 2.1 cm |
| **Package 1 Weight** | 34 g |
| **Unit Type of Package 2** | BB1 |
| **Number of Units in Package 2** | 280 |
| **Package 2 Height** | 215 cm |
| **Package 2 Width** | 340 cm |
| **Package 2 Length** | 445 cm |
| **Package 2 Weight** | 9525 g |

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-$CO_2$ products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency RoHS/REACh

## Well-being performance

- Reach Free Of Svhc
- Mercury Free
- Rohs Exemption Information — Yes

## Certifications & Standards

| | |
|---|---|
| **Reach Regulation** | REACh Declaration |
| **Eu Rohs Directive** | Compliant with Exemptions |
| **China Rohs Regulation** | China RoHS declaration<br>Product out of China RoHS scope. Substance declaration for your information |
| **Environmental Disclosure** | Product Environmental Profile |
| **Circularity Profile** | No need of specific recycling operations |