Product datasheet

Specifications

Opale fan switch white

X3200WH

Main

Range	Opale
Product or component type	Fan switch
Device application	Control
Dimmer type	Speed regulator
Load type	Fan
Colour tint	White
Main colour tint	White
Material	PC: front cover PA (polyamide) 6: base cover PC: knob
[Ue] rated operational voltage	220 V
network type	AC
network frequency	50/60 Hz

Complementary

Device mounting	Flush
dimmer control	Rotary
number of modules	2
Power range	120 W
Surface finish	Satin
Fixing mode	By captive screws
Height	51 mm
Width	42.25 mm
Depth	62 mm

Environment

IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4 cm
Package 1 Width	6.2 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	7.8 cm
Package 1 Weight	60 g
Unit Type of Package 2	BB1
Number of Units in Package 2	75
Package 2 Height	250 cm
Package 2 Width	265 cm
Package 2 Length	335 cm
Package 2 Weight	3380 g

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency

RoHS/REACh

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations