



OPALE CORD OUTLET White

X4550WH

Discontinued on: 30-Jun-2023

(!) Discontinued

Main

Range	Opale
Product or component type	Power strip
Cable shielding type	UTP
Type of packing	Flow-pack
Quantity per set	10

Complementary

Device mounting	Flush
Socket number	1
Communication network category	6
Connections - terminals	IDC
Cable stiffness	Rigid
Material	PC: front cover
Height	48 mm
Width	21 mm
Depth	12.7 mm
Standards	BS 7671
Colour tint	White
Main colour tint	White

Environment

IP degree of protection	IP20
Ambient air temperature for operation	-540 °C
Relative humidity	095 %
Environmental characteristic	UV resistant indoor use

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.5 cm
Package 1 Width	0.55 cm

Package 1 Length	1 cm	
Package 1 Weight	5 a	



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Sustainable Packaging Transparency RoHS/REACh

Resource performance



Sustainable Packaging

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Eu Rohs Directive

Compliant

EU RoHS Declaration

China Rohs Regulation

China RohS declaration

Pro-active China RohS declaration (out of China RohS legal scope)

Environmental Disclosure

Product Environmental Profile

Circularity Profile

No need of specific recycling operations