Product datasheet

Specifications

Green Premium™

Opale indicator lamp green IP20

X5002

Discontinued on: 30-Jun-2023

Discontinued

Main

Range	Opale
device presentation	Mechanism with central plate
Product or component type	Indicator lamp
Quantity per set	Set of 10

Complementary

Device mounting	Flush
Surface finish	Satin
Fixing mode	By captive screws
Light block colour	Green
Material	Plastic

Environment

IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.2 cm
Package 1 Width	2.1 cm
Package 1 Length	3.3 cm
Package 1 Weight	15 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	5 cm
Package 2 Width	10 cm
Package 2 Length	12 cm
Package 2 Weight	204.2 g
Unit Type of Package 3	CAR
Number of Units in Package 3	20
Package 3 Height	6.3 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Width	10.8 cm
Package 3 Length	23.3 cm
Package 3 Weight	305 g

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency RoHS/REACh

Well-being performance

- Reach Free Of Svhc
- Toxic Heavy Metal Free
- Mercury Free
- Rohs Exemption Information — Yes

Certifications & Standards

Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations