Product datasheet

Specifications

electronic alarm - 16 tones - 0..96 dB - PNP output - white - IP54

XVS96BMWP

Main

Range Of Product	Harmony XVS
Product Or Component Type	Electronic alarm
Device Short Name	XVS

Complementary

Colour	White
Material	PC (polycarbonate): terminal cover PC (polycarbonate)/ABS (acrylonitrile butadiene-styrene): body
Marking	CE
Overvoltage Category	Class II conforming to IEC 61140
Mounting Support	96 mm DIN rail
[Us] Rated Supply Voltage	12...24 V DC
[Uimp] Rated Impulse Withstand Voltage	0.8 kV
Current Consumption	250 mA at 12 V 292 mA at 12 V 292 mA at 24 V 354 mA at 24 V
Clamping Connection Capacity	<= 1 x 1.5 mm²
Width	96 mm
Height	96 mm
Depth	58.1 mm
Net Weight	0.4 kg

Environment

Discrete Output Type	PNP
Signalling Type	16 tones alarm
Standards	IEC 60947-5-1 IEC 60947-1
Protective Treatment	TC
Ambient Air Temperature For Storage	-35…70 °C
Ambient Air Temperature For Operation	-20…50 °C
Ip Degree Of Protection	Panel mounted: IP54 conforming to IEC 60529
Noise Level	0…96 dB (continuous or intermittent tone) at 1 m

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	13.5 cm
Package 1 Width	14.0 cm
Package 1 Length	14.0 cm
Package 1 Weight	533.0 g
Unit Type Of Package 2	S04
Number Of Units In Package 2	16
Package 2 Height	30.0 cm
Package 2 Width	40.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	9.634 kg

Contractual warranty

Warranty	18 months

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency

RoHS/REACh

Well-being performance

Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Dimensions Drawings

Electronic Alarm

Dimensions