Specifications





Harmony, pendant station, emergency stop operator, push to maintain, turn to release, 30 mm mushroom, red

ZA2BS834

Product availability: Stock - Normally stocked in distribution facility

Price*: 112.00 USD

Main

Range of Product	Harmony XAC
Product or Component Type	Head for emergency switching off push-button
Sale per indivisible quantity	1

Complementary

· · · · · · · · · · · · · · · · · · ·	
Product Compatibility	XACA
Mounting Location	Front of enclosure
Overvoltage category	Class II IEC 61140
Operator profile	Red mushroom Ø 30 mm
Net Weight	0.09 lb(US) (0.04 kg)
Marking	Unmarked

Environment

Ambient Air Temperature for Storage	-40158 °F (-4070 °C)	
Ambient Air Temperature for Operation	-13158 °F (-2570 °C)	
IK degree of protection	IK08	
Standards	CSA C22.2 No 14 IEC 60947-5-1 UL 508 IEC 60204-32 IEC 60947-5-5 IEC 62262	
Vibration resistance	15 gn 10500 Hz)IEC 60068-2-6	

Ordering and shipping details

Category	US10CS222460	
Discount Schedule	0CS2	
GTIN	3389110591750	
Returnability	Yes	
Country of origin	FR	

Packing Units

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	1.732 in (4.400 cm)	
Package 1 Width	3.661 in (9.300 cm)	
Package 1 Length	1.732 in (4.400 cm)	
Package 1 Weight	1.411 oz (40.000 g)	
Unit Type of Package 2	S01	
Number of Units in Package 2	40	
Package 2 Height	5.906 in (15.000 cm)	
Package 2 Width	5.906 in (15.000 cm)	
Package 2 Length	15.748 in (40.000 cm)	
Package 2 Weight	3.990 lb(US) (1.810 kg)	
Unit Type of Package 3	P06	
Number of Units in Package 3	1280	
Package 3 Height	30.315 in (77.000 cm)	
Package 3 Width	31.496 in (80.000 cm)	
Package 3 Length	23.622 in (60.000 cm)	
Package 3 Weight	146.431 lb(US) (66.420 kg)	

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Product data sheet

Image of product / Alternate images

Alternative





