



red Ø40 Emergency stop, switching off head trigger and latching turn release

ZA2BS844

Main

Range of product	Harmony XAC
product or component type	Head for emergency switching off push-button
Sale per indivisible quantity	1

Complementary

Product compatibility	XACA	
mounting location	Front of enclosure	
Overvoltage category	Class II conforming to IEC 61140	
Operator profile	Red mushroom Ø 40 mm	
net weight	0.05 kg	
marking	Unmarked	

Environment

Ambient air temperature for storage	-4070 °C	
Ambient air temperature for operation	-2570 °C	
IK degree of protection	IK08	
Standards	IEC 60204-32	
	IEC 60947-5-1	
	CSA C22.2 No 14	
	UL 508	
	IEC 60947-5-5	
	IEC 62262	
Vibration resistance	15 gn (f= 10500 Hz) conforming to IEC 60068-2-6	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.100 cm
Package 1 Width	11.000 cm
Package 1 Length	10.000 cm
Package 1 Weight	42.600 g
Unit Type of Package 2	S01
Number of Units in Package 2	40
Package 2 Height	15.000 cm

Package 2 Width	15.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	1 940 kg



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
②	Toxic Heavy Metal Free	
Ø	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information