# Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



# white cap marked UP for circular pushbutton Ø22

ZBA343

① Discontinued

### Main

| Accessory / separate part category    | Marking accessory      |  |
|---------------------------------------|------------------------|--|
| Accessory / separate part type        | Marked push-button cap |  |
| accessory / separate part destination | Push-button head       |  |
| User language                         | English                |  |
| Marking                               | Black UP               |  |
| Cap/operator or lens colour           | White                  |  |
| Shape of signaling unit head          | Round                  |  |
| Quantity per set                      | Set of 1               |  |
| Sale per indivisible quantity         | 10                     |  |
| Product weight                        | 0.001 kg               |  |

# Complementary

| Range compatibility | Harmony XB4<br>Harmony XB5<br>Harmony XAL |
|---------------------|---|
| Operator profile    | Flush                                     |
| Main group          | Push-button Push-button                   |

# **Packing Units**

| Unit Type of Package 1                               | PCE            |
|--|----------------|
| Number of Units in Package 1                         | 1              |
| Package 1 Height                                     | 1.200 cm       |
| Package 1 Width                                      | 2.500 cm       |
| Package 1 Length                                     | 2.500 cm       |
| Package 1 Weight                                     | 0.900 g        |
|  |                |
| Unit Type of Package 2                               | BB1            |
| Unit Type of Package 2  Number of Units in Package 2 | 10 BB1         |
|  |                |
| Number of Units in Package 2                         | 10             |
| Number of Units in Package 2 Package 2 Height        | 10<br>2.800 cm |

| Unit Type of Package 3       | S01       |
|------------------------------|-----------|
| Number of Units in Package 3 | 200       |
| Package 3 Height             | 15.000 cm |
| Package 3 Width              | 15.000 cm |
| Package 3 Length             | 40.000 cm |
| Package 3 Weight             | 1.200 kg  |

# **Contractual warranty**

Warranty 18 months

# Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

# Well-being performance

|                   | Reach Free Of Svhc         |  |
|-------------------|----------------------------|--|
| <b>⊘</b>          | Toxic Heavy Metal Free     |  |
|                   | Mercury Free               |  |
| <b>⊘</b>          | Rohs Exemption Information | Yes  |
|                   |                            |  |
| Eu Rohs Directive |                            | Pro-active compliance (Product out of EU RoHS legal scope) |
|                   |                            | EU RoHS Declaration  |
| Chin              | a Rohs Regulation          | China RoHS declaration                                     |