Specifications



# Rigid protection cover, Harmony XB5, plastic, transparent, for RJ45 and USB ports

ZBSP2

Product availability: Stock - Normally stocked in distribution facility

# Price\*: 17.57 USD

## Main

Range of Product	Harmony XB5
Sale per indivisible quantity	1

## Complementary

Panel Thickness with accessory	0.060.2 in (1.55 mm)
Product or Component Type	Rigid protection cover
Material	Plastic
Accessory / separate part category	Protection accessories
Product compatibility	Panel mounted RJ45 port XB5P Panel mounted USB port XB5P
IP degree of protection	IP65 conforming to IEC 60529 IP67 conforming to IEC 60529
Color	Transparent

# Ordering and shipping details

Category	US10CS200028
Discount Schedule	0CS2
GTIN	3606481194237
Returnability	Yes
Country of origin	US

# **Packing Units**

<del></del>	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.6 in (1.5 cm)
Package 1 Width	2.4 in (6 cm)
Package 1 Length	3.1 in (8 cm)
Package 1 Weight	0.3 oz (8 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	75
Package 2 Height	3.7 in (9.5 cm)

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Package 2 Width	7.5 in (19 cm)
Package 2 Length	11.02 in (28 cm)
Package 2 Weight	22.3 oz (632 g)
Unit Type of Package 3	S02
Number of Units in Package 3	150
Package 3 Height	5.9 in (15 cm)
Package 3 Width	11.8 in (30 cm)
Package 3 Length	15.7 in (40 cm)
Package 3 Weight	3.541 lb(US) (1.606 kg)

## **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >


Guide to assess a product's sustainability >

## Well-being performance

Reach Free Of Svhc	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
California Proposition 65	"WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov"

### **Dimensions Drawings**

## Dimensions




(1) Side View - Open(2) Back View - Open

Mounting and Clearance

Panel Cut-out for Protective Cover (Finished Holes, Ready for Installation)

#### Connection by Screw Clamp Terminals or Plug-in Connectors




(1) Diameter on finished panel or support
-------------------------------------------

Connections	a in mm	a in in.	b in mm	b in in.
By screw clamp terminals or plug-in connector	40	1.57	40	1.57

## **Technical Illustration**

### Dimensions



#### Offer Marketing Illustration

#### **Product benefits / Features**



Offer Marketing Illustration

#### **Product benefits / Features**



Image of product / Alternate images

Alternative



